

KANAPA, St., mgr. inż.; HEDER, L., inż.; KOTLIKOWSKI, R., mgr. inż.

TEWA, the semiconductor-producing factory, yesterday, today,  
and tomorrow. Przegl techn no.2613. J1 '62.

1. Fabryka Polprzewodników, Warszawa.

ROGOJAN, Al.; HOFFMAN, I.

Installation for impulse testing of ferrites. Studii tehn Timisoara  
10 no.1:83-91 Ja-Je '63.

Hoffman, Josef

Isolation and purification of basic antibiotics. Josef Hoffman, Zdeňk Ševela, and Miroslav Horaňský, Czechoslovakia, Nov. 1, 1955. Fermentation medium (100 l.) contg. 232 streptomycin (I) units/ml. was filtered. The filtrate was stirred 30 min. with 1.6 kg. powd. C and filtered by suction. The cake was extd. 5 times with 4 l. of 2% HCl. The combined filtrates were adjusted with solid NaHCO<sub>3</sub> to pH 6.5 and filtered to yield a soln. contg. 660 I units/ml. This soln. was successively shaken with 4 l. Ba acetate (2 + 1 + 1) contg. 500 g. Na dibutynaphthalene sulfonate divided in the same ratio. The combined extns. were treated with 100 ml. of 50% soln. of potassium sulfate in MeOH, stirred vigorously 10 min., and after standing for 20 min., the lower phase containing MeOH soln. of I sulfate was sepd. The extn. was repeated 4 times yielding at the end 411 ml. of thick yellowish liquid which was poured into 4 l. MeOH. The pptd. I weighed 21.8 g. and assayed 610 units/mg. Recryst. from water with MeOH gave 16 g. white product which assayed 610 units/mg.  
L. J. Urbánek

REMOVAL OF HYPOTENSIVE SUBSTANCES FROM STREPTOMYCIN  
solution. Josef Hoffmann, Jitka Šepkova, Miroslav Hoff-  
mannský, and Zdenek Sevěra. Czech. 84,709, Nov. 1, 1959.  
Crude streptomycin sulfate (10 g., 475 units per mg.) with a  
content of hypotensive substances corresponding to 1700 µ  
histamine (I) was dissolved in 30 ml. water. After adding  
3.3 g. powd. silica gel (II) the pH of the mix. was adjusted  
to 7.5 with 10% NaOH and stirred 1 hr. It was filtered off  
and washed with water. The combined filtrates were ad-  
justed to pH 6.0 with 10% H<sub>2</sub>SO<sub>4</sub> and lyophilized. The  
product contained 0.2 µ histamine per 100 mg.

4

Hoffman

/ Purification and isolation of basic antibiotics  
Hoffman and Littau, Lipkow, Czech. 84,779, Oct. 1963  
Basic antibiotics, especially streptomycin, are applied to acidic solns with alk. salts of linear polyesters or polyimides, and the ppt is then decompled with a dil. mineral acid. Fermentation medium, 3 l., contg. 40 g. streptomycin, was acidified with 10% HCl to pH 2.0 and filtered. The filtrate was stirred 15 min. with 150 g. salt, adjusted with NaOH, pH 6.0, and filtered again. To the filtrate contg. 450 units/ml. was added a 50% aq. soln. of polymethacrylic acid (II) until a ppt. ceased to form. The resulting ppt. was filtered off, washed with water, and suspended in 30 ml. water acidified to pH 2.0 with 10% HCl. After sepg. II by filtration, the soln. was neutralized by ion exchange and lyophilized to yield 16 g. I-HCE which assayed 398 units/mg.

HOFERMAN - 1

*✓ Isolation of streptomycin on ion exchangers. Josef Her-  
man, J. Hruša, Čapeká, Miroslav Hermannský, and Zdeněk  
Severa. Czech. 85, 667, Dec. 11, 1956. Neutral filter  
medium (300 l.) from submerged fermentation with *Strepto-  
myces griseus* conteg. 470 streptomycin (I) units/ml. Was  
passed over 500 g. of carbonylic calcium exchange resin. The  
column was washed with water and eluted first with 1 N  
SO<sub>4</sub> until the eluate reached pH 3 and then with 0.2 N H<sub>2</sub>  
SO<sub>4</sub> taking 300-ml. fractions. The I-rich fractions (nos. 5-11)  
were combined, decolorized with C<sub>1</sub>, and neutralized with  
CaCO<sub>3</sub> to pH 6. After adding 3 l. MeOH to facilitate re-  
moval of CaSO<sub>4</sub>, I sulfate was noted in the filtrate with  
MeOH, collected, and dried to yield 100.5 g. of a product  
which assayed 620 I units/mg. (the yield was 94%).*

L. J. Urubko

Hoffman, Josef.

✓ Streptomycin preparation for oral use. Milos Hejda,  
Josef Hoffman, and Miroslav Hefnansky. Czechia, 85, 180.  
Feb. 18, 1958. The combination of streptomycin (1) with  
beta-alic acid yields preps. showing good therapeutic re-  
sults, notably a diminished no. of L-resistant strains. A  
salt of 0.73 g. dihydro-L-sulfate in 5 ml. H<sub>2</sub>O was obtained  
from 1.0 g. dihydro-L-sulfate in 5 ml. H<sub>2</sub>O. After removing BaSO<sub>4</sub>,  
treated with a cold soln of Ba(OH)<sub>2</sub>. After removing Ba(OH)<sub>2</sub>,  
the filtrate was treated with 1.4 g. ethoic acid dissolved in  
1.4 ml. H<sub>2</sub>O. The salt was collected, dried, and the  
product was recrystallized from 8.5 ml. EtOH.

PECAK, V.; CIZEK, S.; MUSIL, J.; CERKES, L.; HEROLD, M.; BELIK, E.; HOVSEMAN, J.

Stimulation of chlortetracycline production by benzyl thiocyanate. J. Hyg. Epidem., Praha 2 no.1:111-115 1958.

1. Institute of Antibiotic Research, Roztoky, near Prague, Czechoslovakia.  
(THIOCYANATES, effects  
benzyl thiocyanate stimulation of chlortetracycline prod.  
by Streptomyces strains)  
(CHLORTETRACYCLINE, preparation of  
prod. by Streptomyces strains, stimulation by benzyl  
thiocyanate admin.)  
(STREPTOMYCES, metabolism  
aureofaciens prod. of chlortetracycline, stimulation by  
benzyl thiocyanate admin.)

USSR/Pharmacology. Toxicology. Antibiotics.

v

Abs Jour: Ref. Zhur. - Biol., 22, 1958, 102951

Author : Malsk, P.; Goffman, I.; Gerol'd, M.; Kolts, Y.

Inst : -

Title : Antibiotics with Directel Penetration into the Lymphatic System.

Orig Pub: Antibiotiki, 1958, 3, No. 1, 45-51

Abstract: Antibiotymphins (I) are salts of antibiotics with high-molecular-weight substances. The salts of streptomycin and neomycin with polymentacrylic acid, with dextran sulfate and carboxymethyl-starch were tested. They are absorbed in intramuscular introduction to a considerable degree by means of the lymphatic system. As compared with commonly used antibiotics, they create lower concentrations of antibiotics in the blood and cir-

Card 1/2

USSR/Pharmacology. Toxicology. Antibiotics.

v

Abs Jour: Ref. Zhur. - Biol., 22, 1958, 102951

culate for a longer time. A high content of antibiotics in the course of a long period of time was determined in efferent lymph ducts and nodes. The acute toxicity of I is considerably lowered. - From the author's resume

INSTITUT KLINICHESKII I EKSPERIMENTAL'NOY KHIRURGII,  
ISSEDOVATEL'SKIY INSTITUT ANTIBIOTIKOV, CHEKHO-SLOVAKIYA,  
PRAGA.

Card 2/2

34

BAJUSZ, Gyula, dr.; HOFFMAN, Janos, dr.

Our patients with gastric cancer and the blood group "A".  
Orv. hetil. 106 no. 44, 2091 31 0 ' 65.

I. Szegedi Orvostudomanyi Egyetem, I. Sebeszeti Klinika  
(igazgato: Petri, Gabor, dr.) es II. Sebeszeti Klinika  
(igazgato: Lang, Imre, dr.).

HOFFMAN, Jozsef (Veszpremvarsany)

Well drilling by the Bakonyzentlasslo railroadors. Magy  
vasut 8 no.1t 6 IJa'64

HOFFMAN, K.

"Should the Municipal Meat Trade Smoked-meat Products?", p. 308,  
(GOSPODARKA MIESNA, Vol. 6, No. 10, Oct. 1954, Warsaw, Poland)

SO: Monthly List of East European Accessions, (EEL), L, Vol. 4,  
No. 5, May 1955, Uncl.

"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0

HOLY, J.; HOFFMAN, K.

Modern technics of roentgen examination of the esophagus. Cesk.  
otolaryng. 11 no.6:335-336 D '62.  
(ESOPHAGUS)

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0"

DVORAK, Jan, inz.; HOFFMAN, K.

Development of the Czechoslovak electrification system by making  
use of further hydraulic power resources. Vodni hosp 13 no.6:  
227-228 '63.

1. Hydroprojekt, Praha (for Dvorak). 2. Ustredni sprava  
energetiky (for Hoffman).

HOFFMAN, Longin, mgr.

Participation of inland water navigation in servicing Danzig and Gdynia  
harbors. Tech gosp morska 11 no.12:358-359 '61.

1. Bydgoska Zegluga na Wisle, Bydgoszcz.

HOFFMAN, M.

"Main Tasks of the Food and Agricultural Industries as They are Realized According to  
the Directions of the Seventh Plenary Meeting of the Central Committee of the Polish  
United Workers Party." p.333  
(PRZEMYSŁ ROLNY I SPOŻYWCZY Vol. 6, no. 9, Sept. 1952 Warszawa, Poland)

SO: Monthly List of East European Accessions, LC, Vol. 3, no. 5, May 1954/Unc1.

HOPFTMANN, K.

"Development of the basis of raw materials consisting of plants in the agricultural and food industries in the 10 years of People's Poland."  
Nowe Rolnictwo, Warsaw, Vol 3, No 7, July 1954, p. 39

SO: Eastern European Accessions List, Vol 3, No 10, Oct 1954, Lib. of Congress

"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0

HOFFMAN, M.

"Some important economic tasks of the food industry in the years 1954 and 1955,"  
Przemysl Rolny I Spozywczy, Warszawa, Vol 8, No 5, May 1954, p. 151.

SO: Eastern European Accessions List, Vol 3, No 11, Nov 1954, L.C.

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0"

HOFFMANN, M.

The food industry during ten years of People's Poland. p.221. (PRZEMYSŁ  
ROLNY I SPOŁYWCZY, Vol. 8, No. 7, July 1954, Warszawa, Poland)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3, No. 12, Dec.  
1954, Uncl.

HOFFMANN, M.

Results in the food industry during the 6-Year Plan. p. 185.  
(PRZEMYSŁ SPOŻYWCZY. Vol. 10, no. 5, May 1956, Warszawa, Poland)

SO: Monthly List of East European Accessions (EEAL) LC. Vol. 6, No. 12, Dec. 1957.  
Uncat.

ZERA, Edmund; HOFFMAN, Maria; JANIK, Zofia; ILMURZYNKA, Krystyna;  
KRZYZANOWSKA, Regina

Rehabilitation of myocardial infarction patients under  
sanatorial conditions. Pol. tyg. lek. 18 no, 34:1264-1267  
19 Ag 1963.

1. Z Kardiologicznego Ośrodka Rehabilitacji Pospitalnej w  
Sanatorium w Naleczowie i z Kliniki Kardiologii Studium  
Doskonalenia Lekarzy w AM w Warszawie; kierownik: prof. dr  
med. Edmund Zera.  
(MYOCARDIAL INFARCT) (REHABILITATION)

ZERA, Edmund; HOFFMAN, Maria

Studies on the behavior of glutamic-aceto-exalic transaminase,  
aldolase and c-reactive proteins in myocardial infarction.  
Polskie arch. med. wewnetrz. 31 no.2:217-226 '61.

1. Z Kliniki Kardiolegii Studium Doskonalenia Lekarszy A.M. w  
Warszawie Kierownik: prof. dr med. E. Zera.

(MYOCARDIAL INFARCT bleed) (TRANSAMINASES bleed)  
(ALDOLASE bleed) (C-REACTIVE PROTEINS bleed)

POLAND

ZERA, Edmund, HOFFMAN, Maria, JANIK, Zofia, ILMURZYNsKA,  
Krystyna, and KRZYZANOWSKA, Regina; Post-hospital Cardio-  
logical Rehabilitation Center (Kardiologiczny Ośrodek Re-  
habilitacji Poszpitalnej) at the Sanatorium in Naleczów  
and Cardiology Clinic (Klinika Cardiologiczna) of the Physi-  
cians' Postgraduate Training Program (Studium Doskonalenia  
Lekarzy), AN [Akademia Modyczna, Medical Academy] in Warsaw  
(Director: Prof. Dr. med. Edmund ZERA)

"Rehabilitation of Patients with Myocardial Infarction."  
Warsaw, Polski Tygodnik Lekarski, Vol 18, No 34, 19 Aug 63,  
pp 1264-1267

Abstract: [Authors' English summary modified] Authors re-  
port on procedures and determinations used to ascertain the  
effectiveness of sanatorium rehabilitation on patients with  
a history of myocardial infarction. They found the proce-  
dure helpful to patients recovery and determination of ca-  
pacity for work. Effectiveness of rehabilitation depended  
more on extent of original injury than on the age, sex,  
localization, complications during first attack, and num-  
ber of attacks. 8 refs: 3 Polish, 8 Western.

WILAND-ZERA, Aleksandra; HOFMAN, Maria; KOWALZ, Leszek

Clinical evaluation of the therapeutic action of coenzyme Q<sub>10</sub> in heart diseases. Fol. tyg. lek. 19 no. 282/447-1449 21 5 '64

1. Z Kliniki Kardiologii Studium Doskonalenia Lekarzy w Akademii Medycznej w Warszawie (Kierownik: prof. dr. med. Edmund Zera).

POLAND

HOFFMAN, Marian, dr

Central Laboratory of Metallurgical Works POMET  
(Centralne Laboratorium Zakladow Metalurgicznych  
POMET), Poznan

Warsaw, Chemia analityczna, No 2, March-April 1966,  
pp 421-424

"Laboratory equipment and its economy."

HOFFMAN, Marian

Rapid determination of lead in copper alloys. Chem anal 5 no.5:  
715-722 '60.  
(EEAI 10:9)

1. Centralne Laboratorium Zakladow Metalurgicznych Pomet, Poznan.

(Lead) (Copper)

*Hoffmann, S.*

RUMANIA/Chemical Technology. Chemical Products and Their Application.

Treatment of Natural Gases and Petroleum Motor and Rocket  
Fuels. Lubricants.

H-23

Abs Jour: Referat Zhur-Khimiya, No 5, 1958, 15752.

Author : Raseev S, Hoffman S.

Inst : Bucharest Institute of Petroleum and Gas

Title : Study of Selective Purification with Furfurole of Oils Derived  
from Romanian Paraffinic Petroleum.Orig Pub: Lucrarile inst. petrol. si gaze Bucuresti, 1957, 2, No 2,  
149-169.Abstract: For oils -- light, medium, and heavy -- derived from paraffi-  
nic petroleum of the Tsintya-Baykoy-Floreshti [transliterated  
Russian spelling] deposit, a study was made of the effect of  
temperature and furfarole: oil ration on the yield and quality  
of the refined product. Graphs have been plotted for the selec-  
tion of optimal conditions of purification. The authors pro-

Card : 1/2

APPROVED FOR RELEASE: 09/21/2001 CIA-RDP86-00513R000618110004-0

RUMANIA/Chemical Technology. Chemical Products and Their Application

Treatment of Natural Gases and Petroleum Motor and Rocket  
Fuels. Lubricants.

H-23

Abs Jour: Referat Zhur-Khimiya, No 5, 1958, 15752.

pose to express the degree of selectivity of purification by  
the correlation  $\frac{[(C_A)_U - (C_A)_R]}{(C_A)_U} \cdot U_R \cdot 100 / (C_A)_U$ , wherein  
 $(C_A)_U$  is the percent of aromatic C-atoms in the initial oil,  
according to ring analysis,  $(C_A)_R$  -- same in the refined pro-  
duct,  $U_R$  -- yield of refined product.

Card : 2/2

*Hoffman, Stanislaw*  
HOFFMAN, Stanislaw

A method for lasting prosthesis for losses in the tympanic membranes.

Otolar. polska 11 no.3:n.p. 1957.

(TYMPANIC MEMBRANE, surg.  
prosth., technic (Pol))

(PROSTHESIS  
for tympanic membrane, technic (Pol))

Country : Rumania H-16  
Category :  
Doc. Jour. : 46789  
Author : Hoffman, S.; Paul, V.; Jacob, B.  
Institut. :  
Title : Paper Chromatography Analysis of a Number of  
Dyestuff Intermediates  
Orig. Pub. : Rev. chim., 1958, 9, No 1, 44-46

Abstract : By the method of paper chromatography the following separations were effected: 1) 1-naphthylamine-3,6,8-trisulfonic acid (Koch's acid) from 1-amino-8-naphthol-3,6-disulfonic acid (H-acid), and of 1-naphthol-3,6,8-trisulfonic acid from chromotrope acid, with washing with a 10% solution of NaCl, and 2) of Laurent's acid from naphthionic acid, using a n-butanol-CH<sub>3</sub>COOH-water mixture (40:10:50) as solvent, and washing with 10% solution of NaCl.

M. Barkova

Card:

HOFFMAN, S.

SCIENCE

Periodicals: REVISTA DE CHIMIE Vol. 9, no. 10, Oct. 1958

HOFFMAN, S. Application of the titanometric method to the analysis of  
inophenols. p. 576.

Monthly List of East European Accessions (EEAI) LC, Vol. 8, No. 2.  
February 1959, Unclass.

12372-63

BMT(1)/EMP(q)/WT(R)/BDS AFFTC/ADD JD/JW  
S/081/63/000/005/002/075

AUTHOR: Hoffman, T. A.

TITLE: The theory of melting

PERIODICAL: Referativnyy zhurnal, Khimiya, no. 5, 1963, 58 abstract 5B405  
(Acta phys. Acad. scient. hung., 1961, v. 13, no. 4, 381 - 419)

TEXT: The energy of a finite real crystal is expressed as the energy of fusion of atoms with vacancies. This energy is a function of the concentration of vacancies and the size of the crystal blocks. In several sizes of blocks, the energy-entropy curve displays two breaks. In these instances, the melting temperature is determined as a common tangent, while the entropy of fusion is the interval between two points of the tangency. A mandatory condition for normal melting is a definite size of blocks. The results obtained for alkalies, noble metals and diamonds, are in favorable agreement with the experimental data. Author's abstract.

[Abstractor's note: Complete translation]

Card 1/1

HOFFMAN, Tamas

The 1964 Petzval-prize winners. Kep hang 11 no.2:51 Ap '65.

1. Editorial Board Member, "Kep-es Hangtechnika."

HOPFMAN, V.

CZECHOSLOVAKIA

HOPFMAN, V; TRDLICKA, Z.

Institute of Raw Materials (Ustav nerostnych surovin),  
Kutna Hora (for both)

Prague, Casopis pro mineralogii a geologii, No 3, 1963,  
244-245

"Report on the Question of Diadochnic Representatives of  
Tin in Zinnwaldite from the Camp Town of Cinovec."

Hoffman, Victor, ing.

Economic efficacy of technical and scientific research. Probleme  
econ 16 no.4:153-154 Ap '63.

1. Rector, Institutul politehnic - Brasov.

Hoffmann, W.

✓ 4216

620/6/1 : 72.012

Hoffmann W. The Architecture of Waterway Structures.

„O architekturze budowli wodnych". Architektura. No. 3, 1951,  
pp. 119—129, 31 figs.

A short report on the activities of a group of architects engaged  
in planning waterway structures (dams, power plants, locks, bridg-  
es, quays, etc.). Revolutionary has been the collaboration with the  
group of numerous experts (hydrotechnicians, hydromechanics, physical  
planners, town planners, economists, agricultural engineers, foresters  
and farmers); conceptions hitherto prepared did not, in spite of their  
unquestionable importance in economic reconstruction and the [impor-  
tation] of local natural surroundings, and in spite of their, constituting  
an important plastic element in the landscape, take into consideration  
other factors linking waterway structures with the environment.

HOFMAN, W.

The architect's task in hydraulic constructions. p. 282  
(GOSPODARKA WODNA, Vol. 16, No. 7, July 1956, Warsaw, Poland)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, No. 9, Sept. 1957, Uncl.

HOFFMAN, Z.

A case of lactation tetany. Wiadomości lek. 7 no.11:593-601 Nov 54.

l. Z Oddziału Wewnętrznego Szpitala MON, kierownik; plk. doc.

Feigin

(TETANY  
lactation tetany, pathol. diag. & ther.)

9,730<sup>d</sup>  
P/031/62/007/001/020/021  
D265/D308

AUTHORS: Hoffman, Zbigniew, and Szopliński, Zbigniew

TITLE: The analogue computer type 'KAiT-P.W.' and its cooperation with the 'Short's' analogue computer

PERIODICAL: Archiwum automatyki i telemechaniki, v. 7, no. 1-2, 1962, 375 - 380

TEXT: The constructional features, general characteristics and operating parameters of the analogue computer type 'KAiT-P.W.' developed at the Department of Automation and Remote Control Engineering of the Polytechnic Institute of Warsaw are described in this paper. The technique of suitably coupling this computer with the general purpose computer type 'Short' is explained and the economics of such an arrangement is discussed. There are 5 figures. ✓ B

ASSOCIATION: Katedra automatyki telemechaniki politechniki Warszawskiej (Department of Automation and Remote Control Engineering of the Warsaw Polytechnic Institute)

Card 1/1

HOFFMAN, Zbigniew; SAWICKI, Aleksander

System of changing time into amplitude. *Nukleonika* 8 no.3:209-  
212 '63.

1. Instytut Badan Jadrowych, Zaklad Elektroniki, Warszawa.

P/0046/63/008/010/0695/0707

ACCESSION NR: AP4015839

AUTHOR: Hoffman, Zbigniew (Goffman, Z.); Komor, Zenon; Sawicki, Aleksander  
(Savitski, A.)

TITLE: A 256-channel time-of-flight analyzer of pulses with magnetic memory

SOURCE: Nukleonika, v. 8, no. 10, 1963, 695-707

TOPIC TAGS: time-of-flight analyzer, magnetic memory, arithmetic unit, digital  
to analog conversion, read-out, print-out, automatic print-out, monostable  
trigger, bistable trigger, self-blocking oscillator, pulse coincidence, square  
wave ferrite core, magnetic state, counting, checking, oscilloscope, decade  
read-out, block, gate, address register, cancel, selector, electronic selector,  
delay line, coordinate gateABSTRACT: A 256-channel analyzer is described which segregates pulses according  
to the time elapsed from instant zero to the instant at which they are recorded.  
This device is equipped with a magnetic memory, which makes it possible to  
perform also an amplitude analysis. The design was developed by a group of  
engineers and technicians at the Zaklad Elektroniki Instytutu Badan' Jadrowych.

Card 1/b3

ACCESSION NR: AF4015839

(Department of Electronics at the Institute of Nuclear Research) in Warsaw. The main function for which the apparatus is programmed -- the time-of-flight analysis -- is performed by a magnetic memory and associated circuitry. The memory is of the coincidence type and consists of 16 plates with 16 x-coordinate windings and 16 y-coordinate windings. At the 256 intersections on each plate there are cores, each with additional two windings: one for signal and one for blocking. Three current pulses, "read", "print" and "block" are transmitted to the x- and y-coordinate windings; only a coincidence of currents in both coordinates changes the state of magnetism in square-wave ferrite cores. Such coincidence occurs only in the cores located at the intersection of those coordinates. The reading and printing operations require only 16 microseconds. The pulse to be analyzed actuates a set of gates and a self-blocking oscillator GS 2, which in turn prepares the arithmetic unit for receiving information. This oscillator also generates a pulse which goes into the delay line and from there successively into five separate circuits: 1) a monostable trigger circuit; 2) another self-blocking oscillator GS+1 which, together with the trigger circuit, opens the gates of the arithmetic unit; 3) a second monostable trigger which generates the negative pulse "block"; 4) a positive pulse "print" is generated simultaneously, which combined with negative "block" pulse allows new information to pass from the

Card 2/103

ACCESSION NR: AP4015839

arithmetic unit into the memory; 5) a third self-blocking oscillator GS3 which, before 16 microseconds is up, is triggered and will correct the state of the address register and of the electronic selector 1, reopens gate 1 and the input gate. These are only the major components of the analyzer and the entire sequence of time-of-flight analysis proceeds by way of additional gating and switching. The device is designed and built so as to be able to carry out 6 other programs of operation. These are auxiliary programs which are initiated by selector switching at the front panel. They are: 1) checking, 2) oscilloscope, 3) decade read-out, 4) analog print-out, 5) supplementing, i.e. converting the actual counts of all channels into their supplements to the full channel capacity, and finally, 6) automatic print-out consisting of two stages, the preparation of analyzer data and actual print-out on the press; the latter operation requires command mechanisms for "start printing" and "stop printing" also automatic switch off after the entire contents of all 256 channels has been printed out. The Original article contains 9 diagrams.

ASSOCIATION: Instytut Badan Jadrowych, Zaklad Elektroniki, Warsaw  
(Department of Electronics, Nuclear Research Institute)

Card 3/103

P/0022/64/000/003/0065/0071

ACCESSION NR: AP4022339

AUTHOR: Hoffman, Zbigniew (Master engineer); Sawicki, Aleksander (Master engineer)

TITLE: High speed multichannel pulse time distribution analyzer with magnetic memory

SOURCE: Przeglad telekomunikacyjny, no. 3, 1964, 65-71

TOPIC TAGS: time distribution analyzer, magnetic memory, multichannel analyzer, computer memory, computer, analyzer, high speed analyzer, multichannel time distribution analyzer, neutron time-of-flight

ABSTRACT: The operational basis and description are given for a 256 channel pulse time distribution analyzer. The device is built on the basis of calculating machine digital techniques and has a series of units: magnetic memory, address register, arithmetic system and printout. The device is intended for measurement of the time-of-flight of neutrons. Orig. art. has: 9 figures.

ASSOCIATION: none

Card 1/21

L 32094-66

ACC NR: AP6020642

SOURCE CODE: P0/0046/65/010/008/0535/0540

AUTHOR: Hoffman, Zbigniew; Komor, Zenon; Nadachowski, Michal; Rydzewski, Tadeusz

ORG: Department of Electronics, Institute of Nuclear Research, Swierk (Zaklad  
Elektroniki, Instytut Badan Jadrowych)TITLE: Application of the 256-channel time-of-flight analyzer for measurement of  
amplitude spectra

SOURCE: Nukleonika, v. 10, no. 8, 1965, 535-540

TOPIC TAGS: analog digital converter, multichannel analyzer, electromagnetic memory,  
radiation counter, gamma radiation

ABSTRACT: A 256-channel time-of-flight analyzer developed in the period 1960-1962 has since undergone considerable modification, including its adaptation for analyzing pulse-height spectra. This modification was made possible by the addition of an analog-digital converter which transforms pulse height into a series of pulses 1/2 microsecond apart, the number of pulses being equal to 256 for a 100 volt input signal. The analyzer can store a spectrum in 256 channels, or in either half (128 channels) of its memory. The analyzer dead time is  $(18 + 0.5N)$  microseconds where  $N$  is the number of "channels" of pulse height (128 or 256 maximum). A maximum of  $2^{16}-1$  (65535) counts per channel can be stored, at which point the analyzer is automatically turned off to avoid overflow. The integral linearity is about 0.2% for 256 channels and 0.35% for 128 channels, the differential linearity is within  $\pm 2\%$  over most of the range, and the stability was found to be within 0.1% over a

Card 1/2

L 32094-66

ACC NR: AP60206:2

7 hour test period. The spectrum can be seen during analysis, in that each count produces a "light spot" during storage of the pulse height information. Also, an oscillogram of the gamma-radiation from Cs 137 is reproduced; it was obtained by using this instrument. Orig. art. has: 6 figures. [NA]

SUB CODE: 09, 18 / SUBM DATE: 11Jan65 / ORIG REF: 002 / OTH REF: 003

Card 2/2 BLG

L 31834-66

ACC NR: AP6021191

SOURCE CODE: P0/0046/65/010/09-/0627/0633

30

B

AUTHOR: Hoffman, Zbigniew; Komor, Zenon; Rydzewski, Tadeusz

ORG: Department of Electronics, Institute of Nuclear Research, Swierk (Zaklad Elektroniki, Instytut Badan Jadrowych)

TITLE: Extension of measurement possibilities in a 256-channel analyzer 10

SOURCE: Nukleonika, v. 10, no. 9-10, 1965, 627-633

TOPIC TAGS: multichannel analyzer, electronic test equipment

ABSTRACT: A 256-channel analyzer, originally completed in 1962, has since undergone a series of modifications and improvements, the most important of which are described in this communication. These include the widening of the time channels to 2, 4, 8, 16, 32, or  $64 \mu$  seconds; the proper phasing of the analyzer after each event to avoid timing errors for subsequent counts in each cycle; the splitting of analyzer into two halves with the possibility of comparing on an oscilloscope the spectra stored in the two halves; and the capability of delaying the measuring cycle by as much as 15 times the duration for a single cycle. Orig. art. has: 6 figures. [NA]

SUB CODE: 09 / SUBM DATE: 23Feb65 / ORIG REF: 002

Card 1/1 MC

HOPFmann, Andor

Heating a long cylinder at changing furnace temperature; investigation  
of the heat transfer process in a sufficiently long cylinder, at a  
furnace temperature determined by time factor, on the basis of Newton's  
heat transfer condition. Muszaki kozl MTA 19 no.1/4:207-235 '61.

1. Budapesti Muszaki Egyetem, V. Matematikai Tanszek.

HOFFMANN, A.

Heating of a long cylindrical body in a furnace with changing  
temperature. Acta techn Hung 11 no.1/2:73-104 '62.

1. Technische Universitat Budapest, Akademische Arbeitsgemeinschaft  
fur Stromungslehre.

HOFFMANN, A.

Investigation of the heating process of a cylindric body in an oven  
with changing temperature and variable heat transfer coefficient. Acta  
Hung 40 no.3/4:285-300 '62.

1. Technische Universität Budapest, Akademische Arbeitsgemeinschaft  
für Stromungslehre, Lehrstuhl Nr. 5 für Mathematik.

HOFFMANN, Andor

Investigating heating process of long cylindrical bodies in  
case of changing furnace temperature and heat transfer factors.  
Muszaki kozl MTA 30 no.1/4:157-170 '62.

1. Budapesti Muszaki Egyesum, Aramlastani Akademiasi Munkakosos-  
seg, V.Matematika Tanszek.

HOFFMANN, Andor

Heat conduction study in long cylinders in case of non-stationary thermal coefficient. Muszaki kozl MTA 32 no.1/4:105-117 '63.

1. Budapesti Muszaki Egyetem; Aramlastani Akademial Munkakozosseg.

I. 9<sup>4</sup>17-66 EHT(d)/EMP(u)/EMP(f)/EMP(c)/EMP(v)/T/EMP(t)/EMP(z)/EMP(h)/EMP(l)  
ACC NR: AF6002639 ETC(m) JD/HW/EM SOURCE CODE: CZ/0032/65/015/002/0139/0143

AUTHOR: Vetiska, A. (Docent; Engineer; Doctor); Setnicka, R. (Engineer); Hoffmann, A. (Engineer)

ORG: Vetiska VUT, Brno; Setnicka, Hoffmann CKD, Blansko

TITLE: Checking the mechanical properties of large cast blades of Kaplan turbines

SOURCE: Strojirenstvi, v. 15, no. 2, 1965, 138-143

TOPIC TAGS: turbine blade, metal casting, metal property, solid mechanical property, mechanical engineering

ABSTRACT: The mechanical properties of large cast blades for Kaplan turbines can be checked by measuring the attenuation of ultrasonic signals in the casting. The method described reveals the actual mechanical properties of the casting and not just those of a sample cut out of a riser; samples from risers do not provide reliable information because there is a different crystallization process in them. This work was presented by Dr. J. Rusicka. Orig. art. has: 10 figures, 6 tables. [JPRS]

SUB CODE: 13, 21 / SUBM DATE: none / ORIG REF: 003 / OTE REF: 002

bch  
Card 1/1

L 33781-66 IJP(c) WW

ACC NR: AT6025143

SOURCE CODE: HU/2504/55/051/01-/0163/0180

(C)

B+1

AUTHOR: Hoffmann, A.—Khoffmann, A.

ORG: Technical University, Budapest

TITLE: Analysis of the effect exerted by a variable heat-transfer coefficient upon the heating process carried out with a cylindrical body. Part I.

SOURCE: Academia scientiarum hungaricae. Acta technica, v. 51, no. 1-2, 1965, 163-180

TOPIC TAGS: heat radiation, heat convection, heat transfer coefficient

ABSTRACT:

The temperature distribution in a long cylindrical body is determined for the case of a stress-relieving anneal. The heat transfer coefficient is considered as a function of temperature. The influence of both radiation and convection are taken into account. The character of the boundary value proposition is nonhomogeneous and nonlinear. The solution is found by linearizing the curve section by section on the basis of a resulting formula which has already been published by the author (Ibid., Vol 40, 1962, pp 285-300). Orig.art. has: 6 figures, 10 formulas, 7 tables.

[Orig. art. in Eng.] [JPRS: 33, 544]

SUB CODE: 20 / SUBM DATE: 17Jul63 / ORIG REF: 003 / OTH REF: 002

Card

1/1 87

0916

0528'

POLAND

HOFFMANN, Halina, KAZANOWSKA, Tanda, KIELGORSKI, Waldemar, and KRACH, Jadwiga, Clinic of Dermatology (Klinika Dermato-

teologiczna), Clinic of Obstetrics and Gynecology (Klinika Położnictwa i Chorób Kobiecych), and the Department of Hy-

giene (Zakład Higieny) of the AM [Akademia Medyczna, Medic-

al Academy] in Szczecin.

"Serological Diagnosis of Trichomonas Infection."

Warsaw, Wydawnictwo Naukowe PWN / Mikrobiologia, Vol 15,  
No 1, 63, pp 91-99.

Abstract: [Authors' English summary modified] Using the  
CM test with trichomonas antigen on human sera, the authors  
found the test specific and sensitive, and encouraging for  
further development of serological methods for diagnosis of  
this disease. They give materials and procedure, and a  
statistical analysis of their findings. Of the 10 refer-  
ences, 2 are Polish, 4 are German, and 7 are English.

11/1

Hoffmann, Bogdan; MALYSZKO, Edward; KILCZEWSKI, Waldemar

Aminitrozol sensitivity of Trichomonas vaginalis. Przegl.  
derm. 50 no.4:210-300 '63.

1. Z Kliniki Dermatologicznej AM w Białymostku Kierownik:  
prof. dr J. Lesinski Z Zakładu Higieny AM w Białymostku

Kierownika doc. dr B. Hoffmann.

(THIAZOLES) (TRICHOMONAS) (DRUG RESISTANCE, MICROBIAL)  
(PHARMACOLOGY)

HOFFMANN, E.

Public health in the region of Poprad. Zdravot. rev. 25 no.5:  
123-124 20 May 50. (CML 19:4)

1. Compiled by E. Hoffmann M.D. in collaboration with Directors  
of the District Therapeutic Institutes, State District Hospital  
in Poprad and Members of the Committee of District Physicians.

"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0


*Pathology of some transplantable mouse tumors*  
Diseases of the mouse  
Unpublished papers

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0"

"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0



APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0"

Country :Hungary  
Category :Microbiology. Microbes Pathogenic for Man and Animals.  
Aba. Jour :Brucellae.  
Ref Zbir-Biol., No 23, 1958, No 105855  
Author :Hoffmann, F.; Szotaenky, I.  
Institut. :Academy of Sciences of Hungary  
Title :Experiment in Immunization of White Mice Against  
Brucellosis  
Orig. Pub. :Acta veterin. Acad. sci. hung., 1957, 7, No 3, 309-318  
(in German)  
Abstract :Mice were immunized with vaccine from N19 strains which  
came from different countries. After immunization with  
vaccine made from the S-type of brucellae, an average of  
25% of the mice died after subsequent infection with  
Brucella abortus; after immunization with vaccine made  
of type R brucellae, 73% of the mice died (in the  
controls, 80%). Brucellae were isolated in 71-94% of  
the cases from the blood of the heart and internal organs  
of surviving mice, most often from the spleen. The degree  
of success in plating the brucellae out of mouse organs  
was the same regardless of the infecting strain. The  
vaccine made from the S-strain protected the mice against  
Card: 1/2

F-55

HOFFMANN G.

J-11

HUNGARY / Chemical Technology. Chemical Products and Their  
 Application - Fats and oils. Waxes. Soap. Detergents.  
 Flotation reagents

Abs Jour : Referat Zhur - Khimiya, No 2, 1958, 6086

Author : Hoffmann Geza

Inst : Not given

Title : Investigation of the Stability of Margarine During Ware-  
 house Storage

Orig Pub : Olaj, szappan, kozmetika, 1955, September-October, 3-6

Abstract : The necessity is shown of microbiological analysis of  
 margarine (M) during all stages of its manufacture.  
 Experimental data (listed in a table) reveal that in order  
 to prolong the guaranteed storage life it is necessary

Card 1/2

Abs Jour

~~Fats and oils. Chemical Products and Their~~  
~~Flotation reagents~~

J-11

: Referat Zhur - Khimiya, No 2, 1958

APPROVED FOR RELEASE: 09/21/2001 CIA-RDP86-00513R000618110004-0

Abstract : Ensure correct fatty composition of the O, and also  
 most favorable temperature and light conditions during  
 storage.

Card 2/2

(66-274)

HOFFMANN, H.

Effect of histamine on gastric juice secretion in pigs during first  
three months of life. Acta physiol. polon. 8 no.3:354-355 1957.

1. Z Katedry Fizjologii Zwierząt Wydziału Weterynaryjnego Gospodarstwa  
Wiejskiego w Warszawie. Kierownik: prof. dr B. Gutowski.

(HISTAMINE, effects,  
on gastric secretion in shoats (Pol))

(GASTRIC JUICE,  
secretion, eff. of histamine in shoats (Pol))

HOFFMANN, H.

Premature secretion of free hydrochloric acid following administration of histamine in nursing sheats. Acta physiol. polon. 8 no.3:355-356 1957.

1. Z Katedry Fizjologii Zwierząt Wydziału Sztetycznego Szkoły Głównej Gospodarstwa Wiejskiego w Warszawie Kierownik: prof. dr B. Gutowski.

(GASTRIC JUICE,

premature release of free hydrochloric acid after admin.  
of histamine in nursing sheats (Pol))

(HISTAMINE, effects,

gastric hydrochloric acid premature release in nursing sheats  
(Pol))

BALINTER, M.; HOFFMANN, I.; SZATHMARY, M.

Evaluation of cadmium reaction in infantile tuberculosis. Gyermekgyo-  
gyaszat 2 no.9:279-281 Sept 51. (CML 21:1)

1. Doctors. 2. Szabadsaghegyi State Children's Sanatorium (Director-  
Head Physician--Dr. Istvan Flesch).

~~HOFFMANN, I.; GOLDBERGER, A.; SZOCSEK, M.; SZOKE, G.~~

~~Streptomycin therapy of infant tuberculosis. Gyermekgyogyaszat 4 no.4:  
119-121 Apr 1953.~~  
(CLML 24:4)

~~1. Doctors. 2. Szabadsaghegyi State Children's Sanatorium (Director --  
Head Physician -- Dr. Istvan Flesch).~~

HOFFMANN, Ida, dr.; TELEGGI, Istvan, dr.

Isoniazid therapy of primary tuberculosis. Orv. hetil. 95 no.31:  
842-844 1 Aug. 54.

1. A Szabadsaghegyi Allami Gyermekszanatorium (igazgato-foorvos:  
Flesch Istvan dr.) kozlemenye  
(TUBERCULOSIS, PULMONARY, therapy  
isoniazid in primary complex)  
(NICOTINIC ACID ISOMERS, therapeutic use  
isoniazid, pulm. tuberc. primary complex)

HALASZ, Stefania, dr.; HOFFMANN, Ida, dr.

Significance of anamnesis in primary tuberculosis. Gyermekgyógyászat  
7 no.7:209-214 July 56.

1. A Szabadsaghegyi Allami Gyermekszanatorium (Igaz.-főorvos:  
Dr. Flesch, Istvan) kozl.

(TUBERCULOSIS, in inf. & child  
anamnestic data, statist. & significance in primary  
tuberc. (Hun))

GORGENYI-GOTTCHE, Oszkar, Dr.; HOFFMANN, Ida, Dr.

Obstructive pulmonary emphysema. Orv. hetil. 99 no.27:905-911 6 July  
58.

1. A Szabadsaghegyi Allami Gyermekszanatorium (igazgato: Szederkenyi  
Janos dr., tudomanyos igazgato: Gorgenyi Gottche Oszkar, dr., az  
orvostudomanyok doktora) kozlemenye.

(EMPHYSEMA, PULMONARY, in inf. & child  
obstruct., case reports (Hun))

LAPIS, Karoly, dr.; HOFFMANN, Ida, dr.; GAZDA, Zsuzsa, dr.

2 Cases of Letterer-Siwe disease. Orv.hetil. 100 no.34:  
1225-1229 Ag '59.

1. A Szabadsaghegyi Allami Gyermekszanatorium (igazgato-  
foorvos: Szederkenyi Janos dr., tudomanyos igazgato:  
Gorgenyi-Gottche Oszkar dr. az orvostudomanyok doktora) es az  
Onkopathologai Kutato Intezet (vezeto: Keliner Bela dr. az  
MTA lev. tagja) kozlemenye.  
(LETTERER-SIWE DISEASE in inf. & child.)

HOFFMANN, Ida, dr.; SZOCSKA, Miklos, dr.; PINTER, Gabriella, dr.;  
SZENICZEY, Kornelia, dr.; KISS, Ilona, dr.

Data on drug therapy of primary tuberculosis. Orv. hetil. 102 no.44:  
2077-2081 29 O '61.

1. Szabadsaghegyi Allami Gyermekszanatorium, Budapest.

(ANTITUBERCULAR AGENTS ther)

MUNGAVI

GÖRGÉNYI-GÖRÖGÉ, Csaba, M.D., and KÖRTEMÉH, István, M.D., of the State Sanatorium for Children (Állami Gyermekszállomás) in Szabadisághegy [near Budapest].

"An Institution for the Treatment of Tuberculous Adolescents"

Budapest, Orvosi Hetilap, Vol 104, No 7, 17 Feb 1963, pp. 315-316.

**Abstract:** Owing to the decrease in the number of tuberculous patients, the hospital located at the Freddie Mountain (Szabadisághegy), near Budapest, has been designated as an institution for the treatment of tuberculous adolescents only. The article reviews the reasons for this decision. Facilities include training courses in grade- and high-school subjects; also in sewing, gardening, photography, etc. By transferring adolescents from institutions for adults a significant number of hospital beds were made free for more efficient use.

No references.

1/1

GORGENYI-GOTTCHE, Oszkar, dr.; HOFFMAN, Ida, dr.; statisztikai munkatars:  
BUDAY, Rezso

A sanatorium for adolescents with tuberculosis. Orv. hetil. 104  
no.7:315-316 17 F '63.

1. Szabadsaghegyi Allami Gyermekszanatorium.  
(TUBERCULOSIS)

PINTER, Gabriella dr.; HOFFMANN, Ida, dr. [deceased]

Cases of mucoviscidosis in children. Tuberkulosis 17 no.7:  
205-207 Jl '64.

1. A Szabadsaghagy Allami Gyermekszanatorium (igazgato: Sebes  
Terez dr., tudomanyos igazgato: Gorgenyi Oszkar dr. az orvostudo-  
manyok doktora) kozlemenye.

SENKARIUK, Vladimir [Shenkaryuk, Vladimir]; HOFFMANN, Istvan

Some questions relating to the synthesis of methyl borates. Magy  
kem folyoir 67 no.2:49-51 F '62.

1. Gyogyszeripari Kutato Intezet, Budapest.

HOFFMANN, Jan

Spontaneous rotation of the head in pregnancy. Cesk.gyn. 20 no.2;  
121-123 Mar 55.

1. ZUNZ Leninovy zavody, Plzen, gyn. oddeleni. Per. gyn. klin. MU  
Plzen-prednosta prof. MUDr Vlad. Mikolas.  
(FETUS,  
spontaneous head rotation)

BARADNAY, Gyula, dr.; HOFFMANN, Janos, dr.; OKROS, József, dr.

Dyschondroplasia and hemangiomatosis (Maffuci's syndrome). Orv.  
hetil. 101 no.49:1753-1755. 4 D'60.

1. Szegedi Orvostudományi Egyetem Korbonctani és Korszovettani  
Intézet, II. sz. Sebeszeti Klinika és Röntgenklinika.  
(DYSCHONDROPLASIA)  
(ANGIOMATOSIS)

HUNGARY

HOFFMANN, Janos, Dr; Medical University of Szeged, II. Surgical Clinic  
(Szegedi Orvostudomanyi Egyetem, II. sz. Sebeszeti Klinika) (director:  
LANG, Imre, Dr, professor).

"Diagnostic Procedure for the Determination of the Completeness of Rectal  
Fistulae."

Budapest, Magyar Sebeszet, Vol XVI, No 4, Aug 1963, pages 241-243.

Abstract: [Author's Hungarian summary] During examination of 35 cases of  
extrasphincteric fistula of the rectum, the observation was made by the  
author that fistulae which have been considered incomplete by the usual  
probe-testing proved to be complete after injection of a dye under pressure.  
Of the surgical treatments, slow sphincterotomy by threads led through the  
extra-sphincteric fistula is considered the most effective. 3 Eastern  
European, 3 Western references.

1/1

VARRO, Vince, dr.; BAJUSZ, Gyula, dr.; HOFFMANN, Janos, dr.; HUSZKA,  
Endre, dr.; JUNG, Ibolya, dr.; KARTAL, Bela, dr.

Gastric cancer -- experiences and thoughts. Orv. hetil. 105  
no.11:481-484 15 Mr'64.

\*

EXCERPTA MEDICA See 14 Vol.10/4 Radiology Apr 56

HOFFMANN K. Ústřední Roentgenol. Ústav Státní Fak. nemocn., Brno,  
"Diferenciálné diagnostické obtíže v rtg. obrazu rakoviny průdušky. Differential diagnostical difficulties in X-ray picture of bronchial carcinoma VNITR.LEK. 1955, 1/4 (272-276) Illus. 5  
diologically Hodgkin's disease may resemble the pulmonary, mediastinal or ural form of bronchial cancer. Boeck's sarcoidosis is mostly symmetrical, chronic recurrent pneumonias as complications of bronchiectases or malignant benign tumours may show similar pictures. The difficult differential diagnosis between neoplastic and inflammatory processes is demonstrated by a case actinomycosis. The azygos vein is sometimes difficult to differentiate from enlarged lymph node in the roentgen picture. Bloch - Doetinchem (XIV, 6, 16)

6

HOFFMANN, K., MUDr.

School medical service and public health in the District of  
Sedlcany. Cesk. zdravot. 5 no.2:104-106 Feb 57.

1. Okresni pediatr a skolni lekar Okresni ustav narodniho  
zdravi v Sedlcanech.

(PUBLIC HEALTH,

school med. serv. & pub. health serv. in Sedlcany  
District (Cz))

HOFFMANN, K.; BROSCHE, E.

On the possibility of roentgen diagnosis of primary cancer of the middle ear. Cesk. rentgen 17 no.2; 87-94 Mr '63.

1. Radiologicka klinika lekarske fakulty UJEP v Brne, prednosta prof. dr. J. Holý Otolaryngologicka lekarske fakulty UJEP v Brne, prednosta prof. dr. R. Hladky.

(EAR MIDDLE) (NEOPLASMS) (RADIOGRAPHY)

HOFFMANN, Karel, MUDr. (ustr. rentgen. odd. KUNz. Brno, Pekarska 53)

X-ray study of the sinus petrosquamosus. Cesk. rentg. 13 no.3:145-152  
June 59.

1. Ustredni rentgenologicky ustav FN v Brne, prednosta prim. MUDr. J. Smid  
ORL klinika Brno, prednosta prof. dr. Fr. Ninger K 50 narodeninam prim.  
MUDr. J. Smida.

(VEINS, CRANIAL SINUSES, abnorm.  
sinus petrosquamosus, x-ray diag. (Cz))

HOFMANN, M.

To pay more attention to the purchase of scrap iron. p. 4.  
(Rolnik Spoldzielca, Warszawa, Vol. 9(i. e. 10)n. 18, May 1957.)

SO: Monthly List of East European Accessions (EEAL) LC, Vol. 6, no. 7, July 1957. Uncl.

"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0

HOFFMANN, Marian

New methods of underwater research by means of television equipment.  
Rozpr hydrotechn no.12:113-118 '62.

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0"

GOLCZ, Leszek, dr inz.; HOFFMANN, Marian, doc. dr; ZALECKI, Ryszard

Effect of chemical fertilizing and increased doses of nitrogen  
on the crop and Helveticoside content in the seeds of Erysimum  
Perowskianum grown on soil of different moisture. Inst przem  
ziel Biul 8 no.4:169-180 D '62.

1. Katedra Uprawy i Nawożenia Rol Wyszej Szkoły Rolniczej, Poznań,  
kierownik: doc. dr M. Hoffmann, i Zakład Agrotechniki Roslin  
Leczniczych TPZ Instytut Przemysłu Zielarskiego, Poznań, Kierownik: dr  
inz. L. Golcz.

HOFFMANN, Marian; KOWALEWSKI, Alojzy

Black earths of the Sroda Plain and their physiographic  
conditions. Prace nauk roln i lesn 12 no.3:3-39 '62.

1. Chair of Science of Soils and Chair of Cultivation and  
Fertilization of Soils, Higher School of Agriculture, Poznan.

KOWALKOWSKI, Alojzy; HOFFMANN, Marian

Brown soils formed of Pleistocene clays in the Pyritz  
Lowland. Prace nauk roln i lesn 12 no.3:41-66 '62.

1. Chair of Science of Soils and Chair of Cultivation and  
Fertilization, Higher School of Agriculture, Poznan.

HOFFMANN, Marian, mgr inz.

Studies and measurements in hydraulic engineering for the needs  
of electric power management. Energetyka Pol 17 nc.6:168-173  
Je '63.

"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0

HOFFMANN, Marian, mgr inz.

Water power engineering in Poland, its present state and development prospects. Gosp wodna 23 no.1:3-6 Ja '63.

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0"

"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0

HOFFMANN, Mieczyslaw

Problems of concentration and specialization of production.  
Przegl drobn wytwor 12 no.7:1-4, 7 Ap '62.

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0"

BRUTYO, Janos; TENYI, Ferenc, technologus; MARTIN, Jancs; KIS SZABO, Laszalone;  
ARADI, Tibor; HOFFMANN, Nandor; KIRALY, Albert; BOROSS, Istvan,  
mernok

National conference of socialist brigade leaders. Munka 15 no.4:  
10-17 Ap '65.

1. Secretary General of the Central Council of Hungarian Trade Unions, Budapest (for Brutyo).
2. Lang Machine Factory, Budapest (for Tenyi).
3. Tatabanya Coal Mining Trust, Tatabanya (for Aradi).
4. Kobanya Drug Factory, Budapest (for Hoffmann).
5. Research Institute of Heavy Chemical Industry (for Kiraly).
6. Csepel Automobile Factory, Budapest (for Boross).

GROFFMAN, O.

Air conditioning of the working space around ceramic kilns. p. 352.  
STAVIVO. (Ministerstvo stavebnictvi) Praha. Vol. 32, no. 10, Oct. 1954.

SOURCE: East European Accessions List, Vol. 5, no. 9, September 1956

Hoffmann, M.

POLAND/Soil Science - Genesis and Geography of Soils.

J-2

Abs Jour : Ref Zhur - Biol., No 3, 1958, 10484

Author : Kwinichidze, M., Hoffmann, M., Prusinkiewicz, Z.

Inst :

Title : The Soils Around Kalisz Which have Been Formed on Dust-Like Loams.

Orig Pub : Roczn. gleboznawcze, 1956, 5, 285-286.

Abstract : No abstract.

Card 1/1

HOFFMANN, M., mgr., inz.

Industrial television in maritime economy. Tech gosp morska 10 no.10:  
319-321 0 '60.

1. Instytut Budownictwa Wodnego Polskiej Akademii Nauk, Gdańsk.

"APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0

SOWINSKI, F., mgr.inz.; HOFFMANN, M., mgr.inz.

Determination of raw power resources of the waves of the Polish  
seashore. Gosp wodna 22 no.8:373-376 '62.

APPROVED FOR RELEASE: 09/21/2001

CIA-RDP86-00513R000618110004-0"

KOWALSKI, Tadeusz, inz.; SLOMIANKO, Paweł, doc. dr inż.; PASZKIEWICZ, Czesław,  
mgr; KARWOWSKI, Józef, doc. dr inż.; DRUET, Czesław, dr inż.;  
TUBIELEWICZ-WITKOWSKA, Hanna, mgr inż.; SZARANIEC, Tadeusz, mgr inż.;  
ONOSZKO, Jerzy, mgr inż.; RBYINSKI, Jerzy, mgr inż.; HOFFMANN, Marian,  
mgr inż.

Discussions on papers and communications. Rozpr hydrotechn no.12:  
119-127 '62.

1. Research Institute of Hydraulic Engineering, Polish Academy of Sciences, Gdańsk (for all except Kowalski and Paszkiewicz).
2. Maritime Institute, Gdańsk (for Kowalski). 3. State Hydrological and Meteorological Institute, Gdynia (for Paszkiewicz).

CZABAJSKI, Tadeusz; HOFFMANN, Marian, doc. dr; ZALECKI, Ryszard

Influence of nitrogenous and phosphate fertilizers on the quantity and quality of the leaf crop of *Digitalis purpurea* L. in varying soil moisture. Inst przem ziel Biul 9 no.1/2:52-59 Mr-Je '63.

1. Katedra Uprawy i Nawożenia Roli, Wyższa Szkoła Rolnicza, Poznań. Kierownik: doc. dr M. Hoffmann; and Zakład Agrotechniki Roslin Leczniczych, Instytut Przemysłu Zielarskiego, Poznań. Kierownik: dr inż. L. Golcz.

CA HOFFMANN, P.

1000000000  
"Ran

The catalytic activity of a special type of aluminum gel.  
Wiesław Kuczyński and Przemysław Hoffmann (Univ.  
Wrocław, Poland). *Krzemiel. Chem.*, 28, 745-752 (1982)  
(English summary).—Kinetic measurements of catalytic  
dehydration of ROH were made with 3 types of active hy-  
drates of  $\text{Al}(\text{OH})_3$  (gel I contg. 1.21%  $\text{SO}_4^{2-}$  at pH 7.0; gel II  
contg. 18.30%  $\text{SO}_4^{2-}$  at pH 8.5, and gel III contg. 4.66%  
 $\text{SO}_4^{2-}$  at pH 8.5). The studies were made at 300° and at  
380°, the velocity of distillation equalling 0.00008 M/min.  
The velocity const. of the reaction in the presence of cata-  
lyst II was 3.5 times greater at 300° and 1.1-1.6 times  
greater at 380° than in the case of catalyst I and III.  
The energies of activation of dehydration of the catalyst I  
and III (18.2 and 21.6 kcal/mol., resp.) were found to be  
within usual limits but in the case of catalyst II it was too  
small (4.16 kcal/mol.). L. J. Poltrowski

HOFFMANN, P.; Technicka spoluprace HORVATH, S.

Evaluation of dyskinésias of the biliary pathways by comparison of fractional duodenal intubation with methylene blue and cholecystography. Cas. lek. česk. 101 no.27:842-846 6 Jl '62.

1. Interne oddelenie OUNZ vo Svidníku, prednosta prom. lekar  
P. Hoffmann.

(BILIARY TRACT diseases) (CHOLECYSTOGRAPHY)  
(METHYLENE BLUE pharmacol)

CZECHOSLOVAKIA

P. HOFFMANN, Head (prednosta) Internal Medicine Department of Hospital with Outpatient Unit (Internie oděsičné ročenice s poliklinikou,) Žvidník, and M. PALOVA, Head (prednosta) OTG [Abbreviation not identified] Bardejov.

"Serum Beta-Lipoprotein Studies in Blood Donors."

Prague, Casopis Lekaru Českych, Vol 102, No 3, 18 Jan 63; pp 73-74.

Abstract [English summary modified]: Authors suggest rejection of potential blood donors whose beta-lipoprotein index is above 1.2 as it was in 24 of their 360 prospective donors, as this is a frequent concomitant of medical history of infectious hepatitis. Table, 6 Czech, 2 German references.

1/1